


# 25% Discount off Retail



- Frame colour available in silver or graphite
- Each screen is supplied with an Inline link and a 90° link
- Desk-up screens are supplied with a pair of matching sliding brackets to suit 25mm desk tops
- For alternative brackets see page 40
- Pinnable option available see page 39
- Glazing is available in both clear or smoked, please state preference. Others available on request
- Part glazed starts at 200mm unless stated
- Wave drop is 200mm as standard
- For accessories see pages 39-41 and 60

## 3 SERIES

### desk-up straight

Panel finish order code			A	B	PGA	PGB	FG	SL	V	PM	L
height	width	code	fabric band A	fabric band B	part glazed band A	part glazed band B	full glazed	slatwall	vinyl	perforated steel mesh	laminate
400	800	3/04.08D	149	163	218	224	169	272	163	211	211
	1000	3/04.10D									
	1200	3/04.12D	168	183	231	253	191	323	183	240	240
	1400	3/04.14D									
	1600	3/04.16D	199	225	267	298	237	371	225	295	295
	1800	3/04.18D									
	2000	3/04.20D	232	270	306	348			270		
2200	3/04.22D										
2400	3/04.24D	251	293	326	369			293			
600	800	3/06.08D	172	188	251	258	195	313	188	243	243
	1000	3/06.10D									
	1200	3/06.12D	193	211	266	291	220	372	211	276	276
	1400	3/06.14D									
	1600	3/06.16D	229	259	307	343	273	427	259	339	339
	1800	3/06.18D									
	2000	3/06.20D	267	311	352	400			311		
2200	3/06.22D										
2400	3/06.24D	289	337	375	425			337			

### desk-up wave


400 / 200	800	3/04-02.08DAS	192	208			217		208	261	285
	1000	3/04-02.10DAS									
	1200	3/04-02.12DAS	230	248			261		248	309	334
	1400	3/04-02.14DAS									
	1600	3/04-02.16DAS	256	277			292		277	369	406
1800	3/04-02.18DAS										
2000	3/04-02.20DAS	282	324					324			
600 / 400	800	3/06-04.08DAS	221	239			250		239	300	328
	1000	3/06-04.10DAS									
	1200	3/06-04.12DAS	265	285			300		285	356	384
	1400	3/06-04.14DAS									
	1600	3/06-04.16DAS	295	319			336		319	425	467
1800	3/06-04.18DAS										
2000	3/06-04.20DAS	325	373					373			

- Note:**
- for screen heights up to 450h use 400h pricing
  - all widths between 800-2400 are available where applicable
  - slatwall heights at 389mm or 425mm (for 400h) and 605mm (for 600h)
  - smallest available wave width is 785w
  - all screens over 1800 wide are supplied with three matching sliding brackets to suit 25mm desk tops
  - ensure you add the Panel finish order code to the end of the Product order code when ordering
  - ensure you specify the fabric range and colour as well as the frame finish when ordering

Tel: 01823 668428

# 3 SERIES

- Frame colour available in silver or graphite
- Each screen is supplied with an Inline link and a 90° link
- For stabilising feet please see page 40
- Pinnable option available see page 39
- Glazing is available in both clear or smoked, please state preference. Others available on request
- Glazing starts at 800mm from floor for part glazed unless stated
- Japanese glazed is in three equal sections as standard
- Each screen is supplied with two height adjusters
- For accessories see pages 39-41 and 60




## free standing straight

Panel finish order code			A	B	PGA	PGB	FG	JG	V	PM	L
height	width	code	fabric band A	fabric band B	part glazed band A	part glazed band B	full glazed	japanese glazed	vinyl	perforated steel mesh	lamine
1200	800	3/12.08	250	290	347	360	265	451	290	366	366
	1000	3/12.10									
	1200	3/12.12	285	313	404	431	353		313	397	397
	1400	3/12.14									
	1600	3/12.16	310	363	444	470					
	1800	3/12.18									
	2000	3/12.20	405	468							
2200	3/12.22										
2400	3/12.24	483	555								
1400	800	3/14.08	271	318	393	410	347	489	318	423	423
	1000	3/14.10									
	1200	3/14.12	309	357	471	498	434		357		489
	1400	3/14.14									
	1600	3/14.16	350	398	532	560					
	1800	3/14.18									
	2000	3/14.20	435	494							
2200	3/14.22										
2400	3/14.24	501	574								
1600	800	3/16.08	305	365	444	448	495	669	365	513	513
	1000	3/16.10									
	1200	3/16.12	345	393	540	572	570		393		686
	1400	3/16.14									
	1600	3/16.16	390	425	567	615					
1800	3/16.18										
1800	800	3/18.08	344	410	493	522	582	783	410		608
	1000	3/18.10									
	1200	3/18.12	392	437	591	618			437		781
	1400	3/18.14									
	1600	3/18.16	431	452							

- Note:**
- all widths between 800-2400 are available where applicable
  - ensure you add the Panel finish order code to the end of the Product order code when ordering
  - ensure you specify the fabric range and colour as well as the frame finish when ordering
  - goalpost and goalpost electric screens are available - price on application

Tel: 01823 668428



- Frame colour available in silver or graphite
- Each screen is supplied with an Inline link and a 90° link
- For stabilising feet please see page 40
- Pinnable option available see page 39
- Glazing is available in both clear or smoked, please state preference. Others available on request
- Glazing starts at 800mm from floor for part glazed unless stated
- Japanese glazed is in three equal sections as standard
- Wave drop is 200mm as standard
- Each screen is supplied with two height adjusters
- For accessories see pages 39-41 and 60

# 3 SERIES

## free standing wave


Panel finish order code			A	B	PGA	PGB	FG	JG	V	PM	L
height	width	code	fabric band A	fabric band B	part glazed band A	part glazed band B	full glazed	japanese glazed	vinyl	perforated steel mesh	laminate
1200 / 1000	800	3/12-10.08AS	336	375	464	477	377	550	375	484	509
	1000	3/12-10.10AS									
	1200	3/12-10.12AS	372	413	523	551			413		559
	1400	3/12-10.14AS									
1600	3/12-10.16AS	408	467	564	592						
1800	3/12-10.18AS										
1400 / 1200	800	3/14-12.08AS	359	406	512	528	465	589	406	542	566
	1000	3/14-12.10AS									
	1200	3/14-12.12AS	397	446	592	622			446		640
	1400	3/14-12.14AS									
1600	3/14-12.16AS	430	487	657	687						
1800	3/14-12.18AS										
1600 / 1400	800	3/16-14.08AS	388	455	564	601	618	768	455	626	664
	1000	3/16-14.10AS									
	1200	3/16-14.12AS	418	483	667	699			483		843
	1400	3/16-14.14AS									
1600	3/16-14.16AS	447	510								
1800	3/16-14.18AS										
1800 / 1600	800	3/18-16.08AS	432	499	616	647	709	884	499		763
	1000	3/18-16.10AS									
	1200	3/18-16.12AS	456	528	720	748			528		944
	1400	3/18-16.14AS									
1600	3/18-16.16AS	468	542								

- Note:**
- all widths between 800-1800 are available where applicable
  - smallest available wave width is 785w
  - ensure you add the Panel finish order code to the end of the Product order code when ordering
  - ensure you specify the fabric range and colour as well as the frame finish when ordering
  - goalpost and goalpost electric screens are available - price on application

**Tel: 01823 668428**

# 3 SERIES

- Frame colour available in silver or graphite
- Each screen is supplied with an Inline link and a 90° link
- For stabilising feet please see page 40
- Glazing is available in both clear or smoked, please state preference. Others available on request
- Glazing starts at 800mm from floor for part glazed unless stated
- Standard inside radius is 850mm
- Each screen is supplied with three height adjusters
- For accessories see pages 39-41 and 60



## free standing curve


Panel finish order code			A	B	PGA	PGB	FG	JG	V	PM	L
height	width	code	fabric band A	fabric band B	part glazed band A	part glazed band B	full glazed	japanese glazed	vinyl	perforated steel mesh	laminate
1200		3/12.C	417	471	695	781	946			731	
1400		3/14.C									
1600		3/16.C	447	508	918	1001					
1800		3/18.C									

### Point to point measurement

panel finish	
other	steel mesh
1208	1161



### Dimensions



- 4 standard radius curves make up a complete circle
- This does not apply for steel mesh screens

**Note:**

- ensure you add the Panel finish order code to the end of the Product order code when ordering
- ensure you specify the fabric range and colour as well as the frame finish when ordering

**Tel: 01823 668428**

# 3 SERIES

## accessories

all accessories are colour matched to frame for silver or graphite unless stated  
all linking is supplied self-finished in black  
please see specification guide for bracket information

### Inline link



	code	price
desk-up	3/ILD	18
free standing	3/ILF	29

- each screen is supplied with one Inline link as standard


### 90° link



	code	price
desk-up	3/9LD	18
free standing	3/9LF	29

- each screen is supplied with one 90° link as standard

### 3/4 way link



	code	price
desk-up	3/3LD	18
free standing	3/3LF	29

### junction post



	code	price
desk-up	3/JPD	31
free standing	3/JPF	40

- matched to frame finish
- silver or graphite caps only
- each junction post is suitable for 2 / 3 / 4 way linking


### 120° link - 3 way



	code	price
each	120LK	52

- desk-up only
- matched to frame finish


### pinnable



	code	price
desk-up	DP	33
free standing	FP	54
specialist pins	AWD	5

- 25 pins per pack

### cable port



	code	price
each	CP80	26

- 80mm diameter as standard
- 74mm diameter useable hole


### hangover shelf



width	code	price
800	SL08	96
1000	SL10	133
1200	SL12	145
bracket each	SSL	16

- light oak shelf as standard
- shelf depth 300mm, thickness 18mm, shelf hangs 380mm from screen top
- 2 brackets supplied with shelf as standard
- weight limit for shelves = 8kg


### toolrail (single)



	code	price
each	TAL	44

- visible height of metal is 55mm
- aperture height 22mm

### toolrail (additional)



	code	price
each	AAL	31

- visible height of metal is 91mm
- top aperture height 22mm
- additional aperture height 21mm

### toolrail notes

- all toolrails matched to frame finish
- can be specified in singles/multiples at any height in the screen
- toolrails are always double sided
- additional toolrails (AAL) can only be specified with a single toolrail (TAL)

Tel: 01823 668428

# 3 SERIES

## accessories

all accessories are colour matched to frame for silver or graphite unless stated  
 all linking is supplied self-finished in black  
 please see specification guide for bracket information


### sliding bracket



each	code	switch	sep.
*25mm	SB25	INC	15
30mm	SB30	4	19
50mm	SB50	7	21
80mm	SB80	7	21

\* supplied as standard with 3 Series desk-up screens

### sliding slim bracket



each	code	switch	sep.
each	SLB	FOC	15


- = included with screen
- = free of charge
- = price when exchanging standard brackets for alternatives
- = price for brackets sold separately

### sliding slab end bracket



each	code	switch	sep.
each	SE25	FOC	15

### desk edge bracket



each	code	switch	sep.
each	DEB	5	20

### interference bracket



each	code	switch	sep.
each	SIB	4	19

### desk-to-screen bracket



each	code	price
each	DSB	6

• supplied in graphite only

### sliding T foot



each	code	price
each	STF	24

• foot length is 360mm  
 • sliding T feet and sliding disc feet cannot be used together - please use the same style of foot


### half sliding T foot



each	code	price
each	HF	35

• foot length is 200mm  
 • sliding T feet and sliding disc feet cannot be used together - please use the same style of foot


### sliding disc foot



each	code	price
each	SDF	46

• foot diameter is 300mm  
 • sliding T feet and sliding disc feet cannot be used together - please use the same style of foot


### T foot



each	code	price
each	TF	25

• foot length is 350mm


### disc foot



each	code	price
each	DF	48

• foot diameter is 300mm

### castor foot



each	code	price
each	CF	49

• foot length is 412mm  
 • foot increases free standing screen height by 60mm  
 • max screen size is 1600h x 1600w

Tel: 01823 668428


# 3 SERIES

## accessories

all accessories are colour matched to frame for silver or graphite unless stated  
all linking is supplied self-finished in black  
please see specification guide for bracket information

- monitor arms require 2 or 3 toolrails to attach depending on arm


### monitor arm A



	code	price
each	MA(A)	142

- please see monitor arm section in specification guide for toolrail requirements
- only available in silver
- others available on request


### monitor arm B



	code	price
each	MA(B)	404

- please see monitor arm section in specification guide for toolrail requirements
- only available in silver
- others available on request


### monitor arm C



	code	price
each	MA(C)	229

- please see monitor arm section in specification guide for toolrail requirements
- only available in silver
- others available on request


### monitor arm D



	code	price
each	MA(D)	194

- please see monitor arm section in specification guide for toolrail requirements
- only available in silver
- others available on request


### sculptural addition straight



width	code	price
800	SAS08	165
1200	SAS12	189
1600	SAS16	208

- acrylic is 6mm clear
- screen height is 300mm

### sculptural addition wave



width	code	price
800	SAW08	165
1200	SAW12	189
1600	SAW16	208

- acrylic is 6mm clear
- wave height is 300mm down to 100mm

### sculptural addition clamp



	code	price
each	3/SA	47

- as standard each sculptural addition is supplied with two brackets to fit
- brushed aluminium finish only


### wall fix



height	code	price
up to 1000	3WFL	81
above 1000	3WFH	86

- matched to frame finish
- state height required
- metal cap included as standard

### sliding bench bracket



	code	switch	sep.
each	3FB	FOC	15

Tel: 01823 668428