



Furniture for modern working



Oona

2007 Specifiers Guide V1

Oona

Oona is an elegant and versatile reception desk system. It offers a wide choice of finishes giving a bespoke feel to its presence. Its key features include:

- *Suitability for single or multiple user situations.
- *A wide range of real wood veneers for tops and ends.
- *A wide range of laminates for fascias.
- *Optional glass counter-tops on stainless steel pillars.
- *Wheelchair access capability.
- *Delivery in 3-4 weeks.
- *Quick and simple installation.
- *Solid wood edge detail.


Prices are inclusive of:

- *Colour brochures and samples sent on request.
- *Free-issue CAD blocks for customers' own use.
- *Space planning, by e-mail or fax, based on customer's own products.
- *Any combination of the standard finishes.




Oona	Index
------	-------

Palette of materials	3
Priced examples	4
Reception desks without counters	5-6
Reception desk with half & full counters	7-11
Cable management & Pedestals	12
Glass counter options	13
Signage & Lighting	14
Coffee Tables	15
Dimensions	16



Oona	Wheelchair Access
------	-------------------



Example of ORDC90EX.66 with DDA Access.

The recess shown, allows a visitor in a wheelchair to bring the arms of their wheelchair to the edge of the desktop in order to read and sign a paper. This satisfies a requirement of the Disability Discrimination Act. Induction loop systems can also be fitted to the desk to assist those with impaired hearing.

Recommended minimum dimensions for wheelchair access are 500mm deep 1000mm wide and 700mm high.

It is a requirement of the Disability Discrimination Act that reasonable provision shall be made for people to gain access to and use a building and its facilities. Our interpretation of the Act, and of the Building Regulations 2000 Part M, is that there is no obligation to adapt free-standing reception furniture to any specified formula. If a reception desk is sufficiently large, then it will be possible to meet the requirements for disabled access in a variety of ways, and these will be determined by the individual situation within a given building.

Veneers - for tops, fascias & coffee tables.


All veneers are selected, matched and laid for each individual piece of furniture. The curved desk-tops are veneered in a fan pattern to create a unique effect. The fascia panels are book matched in sequence. After fine sanding, the surface is then sprayed with several coats of clear lacquer to enhance and protect the surface.



Ash



Beech




Cherry



Maple





Oak

American
Black Walnut

Tops and fascias can be any combination of these veneers, at no extra cost.
As brochure - Maple fascias with American black walnut tops and ends.

Metallic Laminates - for fascias.




Laminate has been used for a decorative surface in furniture design since the 1950's. The latest generation uses metal foils to produce high-tech effects which have never been possible before.

Brushed
AluminiumSilver Square
Steel Relief
AD444/370Gold
Brushed
Aluminium
AD442Burnt
Copper
AD401/200Bronze
Pinstripe
AD696/930Graphite
Waves
AD469/940Silver
Waves
AD444/940**Coloured Laminates** - for fascias & coffee tables.

These are subtly coloured laminates with a slight metallic finish to the surface.

Pearl
J.04.0.0Amber
J.06.4.1Graphite
Grey
J21.8.1Malachite
Green
J.35.7.1Rose
Quartz
J14.4.1Garnet Red
J12.4.2

Oona	Reception desks without counters
------	---





	Description	L x D x H	Code	Wheelchair Access	Price £
	1900 Radius external curve 60 degree reception desk	1900 x 800 x 730	ORD60EX	DDA	3500
	1900 Radius internal curve 60 degree reception desk	1900 x 800 x 730	ORD60IN		3500
	1900 Radius external curve 90 degree reception desk	2687 x 800 x 730	ORD90EX	DDA	3990
	1900 Radius internal curve 90 degree reception desk	2687 x 800 x 730	ORD90IN		3990

Please specify cable ports – shown on page 11

Oona	Reception desks without counters
------	---





	Description	L x D x H	Code	Wheelchair Access	Price £
	1500 Radius external curve 90 degree reception desk	2124 x 800 x 730	ORD1500REX	DDA	3990
	1500 Radius internal curve 90 degree reception desk	2124 x 800 x 730	ORD1500RIN		3990
	Straight reception desks	600 x 800 x 730	ORD6080		1135
		800 x 800 x 730	ORD8080		1185
		1000 x 800 x 730	ORD1080	DDA	1235
		1200 x 800 x 730	ORD1280	DDA	1385
		1400 x 800 x 730	ORD1480	DDA	1635
		1600 x 800 x 730	ORD1680	DDA	1885
		1800 x 800 x 730	ORD1880	DDA	2135
		2000 x 800 x 730	ORD2080	DDA	2380
		2500 x 800 x 730	ORD2580	DDA	2560
	3000 x 800 x 730	ORD3080	DDA	2800	

Oona	Reception desks with counters
------	-------------------------------

	Description	L x D x H	Code	Wheelchair Access	Price £
	1900 Radius external curve 60 degree reception desk with full counter.	1900 x 800 x 1100	ORDC60EX		4350
	1900 Radius external curve 60 degree reception desk with Half counter, position L/H, R/H or central. (L/H shown)	1900 x 800 x 1100	ORDC60EX.5		4200
	1900 Radius internal curve 60 degree reception desk with full counter.	1900 x 800 x 1100	ORDC60IN		4350
	1900 Radius internal curve 60 degree reception desk with half counter, position L/H, R/H or central. (R/H shown)	1900 x 800 x 1100	ORDC60IN.5		4200




Please specify cable ports – shown on page 11

Oona	Reception desks with counters
-------------	--------------------------------------

	Description	L x D x H	Code	Wheelchair Access	Price £
	1900 Radius external curve 90 degree reception desk with full counter.	2687 x 800 x 1100	ORDC90EX		5000
	1900 Radius external curve 90 degree reception desk with half counter, position L/H, R/H or central. (R /H Shown)	2687 x 800 x 1100	ORDC90EX.5	DDA	4890
	1900 Radius external curve 90 degree reception desk with 1 third counter, position L/H, R/H or central (L/H shown)	2687 x 800 x 1100	ORDC90EX.33	DDA	4890
	1900 Radius external curve 90 degree reception desk with 2 thirds counter, position L/H, R/H or central. (L /H Shown)	2687 x 800 x 1100	ORDC90EX.66	DDA	5000




Please specify cable ports - shown on page 11

Oona	Reception desks with counters
------	-------------------------------


	Description	L x D x H	Code	Wheelchair Access	Price £
	1900 Radius internal curve 90 degree reception desk with full counter.	2687 x 800 x 1100	ORDC90IN		5000
	1900 Radius internal curve 90 degree reception desk with half counter, position L/H, R/H or central. (R/H shown)	2687 x 800 x 1100	ORDC90IN.5		4890
	1500 Radius external curve 90 degree desk with full counter	2124 x 800 x 1100	ORDC1500REX		5000

Please specify cable ports – shown on page 11

Oona	Reception desks with counters
------	-------------------------------


	Description	L x D x H	Code	Wheelchair Access	Price £
	1500 Radius external curve 90 degree reception desk with half counter, position L/H , R/H or central. (L/H shown)	2124 x 800 x 1100	ORDC1500REX.5	DDA	4890
	1500 Radius internal curve. 90 degree reception desk with full counter	2124 x 800 x 1100	ORDC1500RIN		5000
	1500 Radius internal curve 90 degree reception desk with half counter, position L/H , R/H or central. (R/H shown)	2124 x 800 x 1100	ORDC1500RIN.5		4890

Please specify cable ports – shown on page 11



Straight reception desk & counter

Description	L x D x H	Code	Wheelchair Access	Price £
	600 x 800 x 1100	ORDC6080		1420
	800 x 800 x 1100	ORDC8080		1480
	1000 x 800 x 1100	ORDC1080		1545
	1200 x 800 x 1100	ORDC1280		1730
	1400 x 800 x 1100	ORDC1480		2045
	1600 x 800 x 1100	ORDC1680		2355
	1800 x 800 x 1100	ORDC1880		2670
	2000 x 800 x 1100	ORDC2080		2980
	2500 x 800 x 1100	ORDC2580		3200
	3000 x 800 x 1100	ORDC3080		3415

Straight reception desk & half counter
(please specify L/H or R/H)

	1000 x 800 x 1100	ORDC1080.5		1495
	1200 x 800 x 1100	ORDC1280.5		1680
	1400 x 800 x 1100	ORDC1480.5		1995
	1600 x 800 x 1100	ORDC1680.5		2305
	1800 x 800 x 1100	ORDC1880.5		2620
	2000 x 800 x 1100	ORDC2080.5	DDA	2900
	2500 x 800 x 1100	ORDC2580.5	DDA	2950
	3000 x 800 x 1100	ORDC3080.5	DDA	3280

Please specify cable ports – shown on page 11






	Description	L x D x H	Code	Price £
	Black cable port, 80mm diameter with horizontal cable spine.		CBP.01	87
	Silver cable port, 80mm diameter with horizontal cable spine.		CBP.07	87
	Wooden cable port, 80mm diameter with horizontal cable spine.		CBPW	96
	Chrome cable port, 80mm diameter with horizontal cable spine.		CBP.10	129
Standard pedestal				
	Mobile pedestal - 2 personal + 1 filing drawer, foolscap /A4, central locking, veneered or coloured.	425 x 600 x 670	APMS1	582
	Mobile pedestal - 2 personal + 1 filing drawer foolscap/A4, central locking, all steel construction, coated silver.	425 x 600 x 670	SAPMS/02	332
Slim pedestal				
	Slim mobile pedestal. Central locking. Steel construction, silver coated. 2 personal + 1 filing drawer foolscap A/4.	300 x 570 x 600	SAPMS/03	332

Illustration shown
Glass – **GCT90EX**
Desk – **ORD90EX**



10mm thick curved glass counter tops, toughened with polished edges and stainless steel supports. For use on curved desk modules. 250mm Deep x 150mm High

Illustration shown
Glass – **GCT18**
Desk – **ORD1880**



10mm thick glass counter tops, toughened with polished edges and stainless steel supports. For use on straight desk modules. 250mm Deep x 150mm High

Curved Glass Counters


Clear Glass	Price £	Etched Glass	Price £
GCT60EX	920	GCTE60EX	1160
GCT60IN	920	GCTE60IN	1160
GCT90EX	1035	GCTE90EX	1498
GCT90IN	1035	GCTE90IN	1498
GCT1500REX	1035	GCTE1500REX	1498
GCT1500RIN	1035	GCTE1500RIN	1498
GCT60EX.5	600	GCTE60EX.5	945
GCT90EX.5	690	GCTE90EX.5	1035
GCT1500REX.5	690	GCTE1500REX.5	1035

Straight Glass Counters

Clear Glass	Price £	Etched Glass	Price £
GCT60	656	GCTE60	698
GCT80	667	GCTE80	711
GCT10	690	GCTE10	727
GCT12	702	GCTE12	771
GCT14	725	GCTE14	805
GCT16	771	GCTE16	876
GCT18	1012	GCTE18	1116
GCT20	1104	GCTE20	1219
GCT25	1303	GCTE25	1382
GCT30	1392	GCTE30	1547

Description	Code	Price £
	<p>Brushed steel, cut lettering 200mm high x 0.9mm, applied to veneered fascias. Price is based on 9 letters. (Can also be customised to include company logo - P.O.A).</p>	SIGN.01 576
	<p>Coloured PVC lettering or logo applied to 5mm acrylic panel, mounted on steel stand-offs. (Overall size of sign is 500mm x 500mm - other sizes are available on request).</p>	SIGN.02 495
	<p>Incised lettering or logo on acrylic panel, mounted on edge-lit steel stand-offs. (Overall size of sign is 500mm x 500mm—other sizes are available on request).</p>	SIGN.03 1809
	<p>Concealed plinth lighting, producing a glow around the footprint of the desk. Price shown is for the power driver plus 1 metre of lighting.</p>	LIGHTING.01 610
<p>Additional metre of lighting for LIGHTING.01. Up to a maximum of 9 metres per driver.</p>	LIGHTING.02 217	
	<p>Fascia lighting wash with the "Orbit" down-light, a 30mm diameter polished aluminium fitting. Warm white light for veneered backgrounds, blue light for metallic backgrounds. Price shown is for power driver plus 1 light. We recommend one light fitting per metre of fascia.</p>	LIGHTING.03 798
<p>Additional Orbit down light (A maximum of 8 lights per driver).</p>	LIGHTING.04 558	

See palette of materials on page 2 for available finishes.



Square coffee table with arrowhead bases.

L x D x H


600 x 600

Code


SCT6060

Price
£


455



Rectangular veneered coffee table with arrowhead bases.

1000 x 600
1400 x 700RCT1060
RCT1470605
645

Oval veneered coffee table with arrowhead bases.



1000 x 600
1400 x 700OCT1060
OCT1470655
680

Circular veneered coffee table with arrowhead bases.

600mm dia
800mm diaCCT60
CCT80655
680

Inlays are available at an additional cost.

Oona		Dimensions
------	--	------------



- *25mm thick desk & counter tops
- *Desk height 730mm
- *Internal height between desk & counter 344mm
- *Overall height with counter 1100mm
- *Matching veneers and solid wood profiled edges

